

## Product information

# 87 51 250

## KNIPEX Cobra® ES Water Pump Pliers extra-slim

DIN ISO 8976



- Particularly good access to the workpiece due to very slim construction of head and joint area
- Long, narrow jaws with front gripping serration: longitudinal gripping profile for round parts such as screws and bolts
- Ideal for service, maintenance and equipment repair, in automotive and general industry
- Fine adjustment for optimum adaptation of the gripping capacity up to width across flats of 36 and pipes up to  $\varnothing$  40 mm
- Firm grip also on flat material due to three-point rest
- Cross groove for holding slender round materials such as nails
- Fine adjustment for optimum adaptation of the gripping capacity and ergonomic grip position
- Push the button for adjustment on the workpiece
- Self-clamping on pipes and nuts: no slipping on the workpiece, effortless working
- Box-joint design for high stability due to double guide
- Reliable catching of the hinge bolt: no unintentional shifting
- Pinch guard prevents operators' fingers being pinched

### General

Part No.	87 51 250
EAN	4003773061267
pliers	grey atramentized
Head	polished
Handles	with non-slip plastic coating
Weight	328 g
Dimensions	250 x 96 x 52 mm
Standard	DIN ISO 8976
REACH compliant	does not contain SVHC
RoHS compliant	not applicable
Carbon footprint (PCF)	735 g CO <sub>2</sub> e
Proportion of recycled material	> 90 %


### Technical details

Adjustment positions	25
Capacities for nuts	$\varnothing$ 1 1/2 Inch
Capacities for nuts	36 mm
Capacities for pipes (diameter)	$\varnothing$ 40 mm
max. parallel opening width	37 mm
max. gripping depth	45 mm

technical change and errors excepted



Long, narrow jaws with front gripping serration: longitudinal gripping profile for round parts such as screws and bolts



Firm grip also on flat material due to three-point rest

